



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name

**Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm**

Alternative number(s)

012844098778, 012844617986, 012844619577,  
012844619799, 012844619157, 012844620122,  
012844620160, 012844620207, 012844620221,  
012844620245

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Consumer uses: Air Freshener

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
e-mail: Autocare.regulatory@energizer.com  
Website: <http://data.energizer.com>

#### 1.4 Emergency telephone number

Emergency information service

FOR EMERGENCY in USA & Canada CALL +1 800  
255-3924 / For International CALL +1 813 248 0585  
This number is only available during the following  
office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317
B.6	flammable liquid	4	Flam. Liq. 4	H227

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H227 Combustible liquid.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P261 Avoid breathing mist/vapors.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/eye protection/face protection.  
P302+P352 If on skin: Wash with plenty of water.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see on this label).  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.  
P363 Wash contaminated clothing before reuse.  
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

(R)-p-mentha-1,8-diene, Linalyl acetate, Dorisyl, 3,7-dimethylnona-1,6-dien-3-ol, Linalool, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 2,2,6-trimethyl- $\alpha$ -propylcyclohexanepropanol, Eugenol, Caryophyllene, Cineole,  $\alpha$ -pinene, 3,7,7-trimethylbicyclo[4.1.0]hept-3-ene,  $\beta$ -pinene, Coumarin, L-menthan-3-one, Tetramethyl Acetyloctahydronaphthalenes, Dimethylcyclohex-3-ene-1-carbaldehyde, dihydro pentamethylindanone, Floralozone

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### 2.3 Other hazards

Hazards not otherwise classified

Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .









## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures















Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
3,5,5-trimethylhexyl acetate	CAS No 58430-94-7	25 – < 50	Skin Irrit. 2 / H315 Flam. Liq. 4 / H227	
benzyl benzoate	CAS No 120-51-4	10 – < 25	Acute Tox. 4 / H302	
Dihydromyrcenol	CAS No 18479-58-8	5 – < 10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H336 Flam. Liq. 4 / H227	
Linalyl acetate	CAS No 115-95-7	5 – < 10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	
2,6-dimethylheptan-2-ol	CAS No 13254-34-7	5 – < 10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227	
3,7-dimethylnona-1,6-dien-3-ol	CAS No 10339-55-6	5 – < 10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	
Dorisyl	CAS No 32210-23-4	5 – < 10	Skin Sens. 1B / H317	
Linalool	CAS No 78-70-6	1 – < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	

**Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm**

Version number: 10.0  
Replaces version of: 2024-02-19 (9)




Revision: 2024-07-11

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Tetramethyl Acetyloctahydro-naphthalenes	CAS No proprietary	1 – < 5	Skin Irrit. 2 / H315 Skin Sens. 1B / H317	
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	CAS No 139504-68-0	1 – < 5	Eye Irrit. 2 / H319	
(R)-p-mentha-1,8-diene	CAS No 5989-27-5	< 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	
β-pinene	CAS No 127-91-3 18172-67-3	< 1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	
Cineole	CAS No 470-82-6	< 1	Skin Sens. 1B / H317 Flam. Liq. 3 / H226	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	CAS No 54464-57-2	< 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317	
Dimethylcyclohex-3-ene-1-carbaldehyde	CAS No 27939-60-2	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	
Allyl (3-methylbutoxy)acetate	CAS No 67634-00-8	< 1	Acute Tox. 4 / H302 Acute Tox. 2 / H330 Flam. Liq. 4 / H227	
Floralozone	CAS No 67634-15-5	< 1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317	
dihydro pentamethyl-indanone	CAS No 33704-61-9	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
α-pinene	CAS No 80-56-8	< 1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	
2,2,6-trimethyl-α-propyl-cyclohexanepropanol	CAS No 70788-30-6	< 1	Skin Sens. 1 / H317	
Eugenol	CAS No 97-53-0	< 1	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Coumarin	CAS No 91-64-5	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Skin Sens. 1 / H317	

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
L-menthan-3-one	CAS No 14073-97-3	< 1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	
Caryophyllene	CAS No 87-44-5	< 1	Skin Sens. 1B / H317 Asp. Tox. 1 / H304	
3,7,7-trimethylbi-cyclo[4.1.0]hept-3-ene	CAS No 13466-78-9	< 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	

### Remarks

For full text of abbreviations: see SECTION 16

## SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

#### Unsuitable extinguishing media

Water jet

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.



## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

**- Specific notes/details**

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

**Advice on general occupational hygiene**

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

**Managing of associated risks**

**- Explosive atmospheres**

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

**- Flammability hazards**

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

**- Ventilation requirements**

Use local and general ventilation. Ground/bond container and receiving equipment.

**- Packaging compatibilities**

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	β-pinene	127-91-3	TLV®	20							AC-GIH® 2024
US	3-carene	13466-78-9	TLV®	20							AC-GIH® 2024
US	α-pinene	80-56-8	TLV®	20							AC-GIH® 2024
US	polyvinyl chloride	9002-86-2	TLV®		1					r	AC-GIH® 2024



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	DNEL	5.64 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
3,5,5-trimethylhexyl acetate	58430-94-7	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
benzyl benzoate	120-51-4	DNEL	14.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
benzyl benzoate	120-51-4	DNEL	70.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
benzyl benzoate	120-51-4	DNEL	4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	24.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	2.75 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	236.2 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Linalyl acetate	115-95-7	DNEL	236.2 µg/cm <sup>2</sup>	human, dermal	worker (industry)	acute - local effects
2,6-dimethylheptan-2-ol	13254-34-7	DNEL	4.02 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
2,6-dimethylheptan-2-ol	13254-34-7	DNEL	16.08 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
2,6-dimethylheptan-2-ol	13254-34-7	DNEL	10.05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
2,6-dimethylheptan-2-ol	13254-34-7	DNEL	40.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
2,6-dimethylheptan-2-ol	13254-34-7	DNEL	1.14 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
2,6-dimethylheptan-2-ol	13254-34-7	DNEL	4.56 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	18 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	2.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	5.5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	16.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	24.58 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	3.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Tetramethyl Acetyloctahydronaphthalenes	proprietary	DNEL	30 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Tetramethyl Acetyloctahydronaphthalenes	proprietary	DNEL	28.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Tetramethyl Acetyloctahydronaphthalenes	proprietary	DNEL	648 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	DNEL	17.6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	66.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cineole	470-82-6	DNEL	7.05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Cineole	470-82-6	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
β-pinene	127-91-3	DNEL	5.69 mg/m <sup>3</sup>	human, inhalat-	worker (industry)	chronic - systemic



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
	18172-67-3			ory		effects
β-pinene	127-91-3 18172-67-3	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
β-pinene	127-91-3 18172-67-3	DNEL	54 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	DNEL	24.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	DNEL	7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	DNEL	1,163 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
dihydro penta-methylindanone	33704-61-9	DNEL	1.47 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
dihydro penta-methylindanone	33704-61-9	DNEL	0.42 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
dihydro penta-methylindanone	33704-61-9	DNEL	5,510 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
Allyl (3-methylbutoxy)acetate	67634-00-8	DNEL	4.93 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Allyl (3-methylbutoxy)acetate	67634-00-8	DNEL	1.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Floralozone	67634-15-5	DNEL	14.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Floralozone	67634-15-5	DNEL	4.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Floralozone	67634-15-5	DNEL	5,295 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects
α-pinene	80-56-8	DNEL	3.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
α-pinene	80-56-8	DNEL	0.542 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Eugenol	97-53-0	DNEL	21.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Eugenol	97-53-0	DNEL	6 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Coumarin	91-64-5	DNEL	6.78 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Coumarin	91-64-5	DNEL	0.79 mg/kg	human, dermal	worker (industry)	chronic - systemic



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
			bw/day			effects
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	DNEL	5.69 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
L-menthan-3-one	14073-97-3	DNEL	26.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
L-menthan-3-one	14073-97-3	DNEL	7.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	7.7 µg/l	aquatic organisms	freshwater	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.77 µg/l	aquatic organisms	marine water	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	2.895 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.29 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	2.66 mg/kg	aquatic organisms	water	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.573 mg/kg	terrestrial organisms	soil	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	77 µg/l	aquatic organisms	water	intermittent release
benzyl benzoate	120-51-4	PNEC	0.003 mg/l	aquatic organisms	freshwater	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.322 µg/l	aquatic organisms	marine water	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	2.043 mg/kg	aquatic organ-	freshwater sedi-	short-term (single



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
				isms	ment	instance)
benzyl benzoate	120-51-4	PNEC	0.204 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.406 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	111 mg/kg	aquatic organisms	water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.278 mg/l	aquatic organisms	water	intermittent release
Dihydromyrcenol	18479-58-8	PNEC	27.8 µg/l	aquatic organisms	freshwater	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	2.78 µg/l	aquatic organisms	marine water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.594 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.059 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.103 mg/kg	terrestrial organisms	soil	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.11 mg/l	aquatic organisms	water	intermittent release
Linalyl acetate	115-95-7	PNEC	0.011 mg/l	aquatic organisms	freshwater	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.609 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.061 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.115 mg/kg	terrestrial organisms	soil	short-term (single instance)
2,6-dimethylheptan-2-ol	13254-34-7	PNEC	0.024 mg/l	aquatic organisms	freshwater	short-term (single instance)
2,6-dimethylheptan-2-ol	13254-34-7	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
2,6-dimethylheptan-2-ol	13254-34-7	PNEC	8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2,6-dimethylheptan-2-ol	13254-34-7	PNEC	0.89 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
2,6-dimethylheptan-2-ol	13254-34-7	PNEC	0.089 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
2,6-dimethylheptan-2-ol	13254-34-7	PNEC	0.177 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	5.3 µg/l	aquatic organisms	freshwater	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.53 µg/l	aquatic organisms	marine water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	12.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dorisyl	32210-23-4	PNEC	2.01 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.21 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	66.67 mg/kg	aquatic organisms	water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.42 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	53 µg/l	aquatic organisms	water	intermittent release
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	8.53 mg/kg	aquatic organisms	water	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.23 mg/l	aquatic organisms	water	intermittent release
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.023 mg/l	aquatic organisms	freshwater	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.223 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.022 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.031 mg/kg	terrestrial organisms	soil	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Linalool	78-70-6	PNEC	7.8 mg/kg	aquatic organisms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 mg/l	aquatic organisms	water	intermittent release
Linalool	78-70-6	PNEC	0.2 mg/l	aquatic organisms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 mg/kg	terrestrial organisms	soil	short-term (single instance)
Tetramethyl Acetyloctahydronaphthalenes	proprietary	PNEC	4.4 µg/l	aquatic organisms	freshwater	short-term (single instance)
Tetramethyl Acetyloctahydronaphthalenes	proprietary	PNEC	0.44 µg/l	aquatic organisms	marine water	short-term (single instance)
Tetramethyl Acetyloctahydronaphthalenes	proprietary	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Tetramethyl Acetyloctahydronaphthalenes	proprietary	PNEC	3.73 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Tetramethyl Acetyloctahydronaphthalenes	proprietary	PNEC	0.75 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Tetramethyl Acetyloctahydronaphthalenes	proprietary	PNEC	2.7 mg/kg	terrestrial organisms	soil	short-term (single instance)
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	PNEC	0.022 mg/l	aquatic organisms	freshwater	short-term (single instance)
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	PNEC	0.218 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	PNEC	0.022 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	PNEC	2 mg/kg	terrestrial organisms	soil	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	14 µg/l	aquatic organisms	freshwater	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.4 µg/l	aquatic organisms	marine water	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	3.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.385 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.763 mg/kg	terrestrial organisms	soil	short-term (single instance)
Cineole	470-82-6	PNEC	0.57 mg/l	aquatic organisms	water	intermittent release
Cineole	470-82-6	PNEC	57 µg/l	aquatic organisms	freshwater	short-term (single instance)
Cineole	470-82-6	PNEC	5.7 µg/l	aquatic organisms	marine water	short-term (single instance)
Cineole	470-82-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Cineole	470-82-6	PNEC	1.425 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Cineole	470-82-6	PNEC	0.142 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Cineole	470-82-6	PNEC	0.25 mg/kg	terrestrial organisms	soil	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	13.1 mg/kg	aquatic organisms	water	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	1.004 µg/l	aquatic organisms	freshwater	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	0.1 µg/l	aquatic organisms	marine water	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	3.26 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	0.337 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
β-pinene	127-91-3 18172-67-3	PNEC	0.034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
β-pinene	127-91-3 18172-67-3	PNEC	0.067 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.009 mg/l	aquatic organisms	freshwater	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	13.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.169 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.017 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.025 mg/kg	terrestrial organisms	soil	short-term (single instance)
dihydro penta-methylindanone	33704-61-9	PNEC	0.003 mg/l	aquatic organisms	freshwater	short-term (single instance)
dihydro penta-methylindanone	33704-61-9	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
dihydro penta-methylindanone	33704-61-9	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
dihydro penta-methylindanone	33704-61-9	PNEC	80 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
dihydro penta-methylindanone	33704-61-9	PNEC	8 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
dihydro penta-methylindanone	33704-61-9	PNEC	14.1 µg/kg	terrestrial organisms	soil	short-term (single instance)
Allyl (3-methylbutoxy)acetate	67634-00-8	PNEC	0.77 µg/l	aquatic organisms	freshwater	short-term (single instance)
Allyl (3-methylbutoxy)acetate	67634-00-8	PNEC	8.93 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Allyl (3-methylbutoxy)acetate	67634-00-8	PNEC	0.893 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Allyl (3-methylbutoxy)acetate	67634-00-8	PNEC	1.33 µg/kg	terrestrial organisms	soil	short-term (single instance)
Floralozone	67634-15-5	PNEC	0.006 mg/l	aquatic organisms	freshwater	short-term (single instance)
Floralozone	67634-15-5	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Floralozone	67634-15-5	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Floralozone	67634-15-5	PNEC	0.635 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Floralozone	67634-15-5	PNEC	0.064 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Floralozone	67634-15-5	PNEC	0.124 mg/kg	terrestrial organisms	soil	short-term (single instance)
α-pinene	80-56-8	PNEC	1.35 mg/kg	aquatic organisms	water	short-term (single instance)
α-pinene	80-56-8	PNEC	0.606 µg/l	aquatic organisms	freshwater	short-term (single instance)
α-pinene	80-56-8	PNEC	0.061 µg/l	aquatic organisms	marine water	short-term (single instance)
α-pinene	80-56-8	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
α-pinene	80-56-8	PNEC	157 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
α-pinene	80-56-8	PNEC	15.7 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
α-pinene	80-56-8	PNEC	31.7 µg/kg	terrestrial organisms	soil	short-term (single instance)
Eugenol	97-53-0	PNEC	11.3 µg/l	aquatic organisms	water	intermittent release
Eugenol	97-53-0	PNEC	1.13 µg/l	aquatic organisms	freshwater	short-term (single instance)
Eugenol	97-53-0	PNEC	0.113 µg/l	aquatic organisms	marine water	short-term (single instance)
Eugenol	97-53-0	PNEC	0.081 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Eugenol	97-53-0	PNEC	0.008 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Eugenol	97-53-0	PNEC	0.015 mg/kg	terrestrial organisms	soil	short-term (single instance)
Coumarin	91-64-5	PNEC	0.056 mg/l	aquatic organisms	water	intermittent release
Coumarin	91-64-5	PNEC	19 µg/l	aquatic organisms	freshwater	short-term (single instance)
Coumarin	91-64-5	PNEC	1.9 µg/l	aquatic organisms	marine water	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Coumarin	91-64-5	PNEC	6.4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Coumarin	91-64-5	PNEC	0.15 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.015 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.018 mg/kg	terrestrial organisms	soil	short-term (single instance)
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	PNEC	0.44 µg/l	aquatic organisms	freshwater	short-term (single instance)
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	PNEC	0.044 µg/l	aquatic organisms	marine water	short-term (single instance)
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	PNEC	3.26 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	PNEC	104 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	PNEC	10.4 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	PNEC	20.8 µg/kg	terrestrial organisms	soil	short-term (single instance)
L-menthan-3-one	14073-97-3	PNEC	0.031 mg/l	aquatic organisms	freshwater	short-term (single instance)
L-menthan-3-one	14073-97-3	PNEC	0.003 mg/l	aquatic organisms	marine water	short-term (single instance)
L-menthan-3-one	14073-97-3	PNEC	2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
L-menthan-3-one	14073-97-3	PNEC	0.558 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
L-menthan-3-one	14073-97-3	PNEC	0.056 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
L-menthan-3-one	14073-97-3	PNEC	0.093 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls  
General ventilation.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

Physical state	liquid
Color	blue
Particle	not relevant (liquid)
Odor	characteristic

##### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	177 °C at 1,010 hPa

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Flash point	86 °C
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	136 Pa at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined

### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	422 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

## 9.2 Other information

Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)
--	--

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Allyl (3-methylbutoxy)acetate	67634-00-8	oral	500 mg/kg
Allyl (3-methylbutoxy)acetate	67634-00-8	inhalation: vapor	0.5 mg/l/4h
Allyl (3-methylbutoxy)acetate	67634-00-8	inhalation: dust/mist	0.46 mg/l/4h
$\alpha$ -pinene	80-56-8	oral	500 mg/kg
Eugenol	97-53-0	oral	>1,500 mg/kg
Coumarin	91-64-5	oral	293 mg/kg
Coumarin	91-64-5	dermal	293 mg/kg

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Coumarin	91-64-5	3	
Eugenol	97-53-0	3	
(R)-p-mentha-1,8-diene	5989-27-5	3	

#### Legend

3 Not classifiable as to carcinogenicity in humans

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	LC50	7.7 mg/l	fish	96 h
3,5,5-trimethylhexyl acetate	58430-94-7	EC50	>5.4 mg/l	aquatic invertebrates	24 h
3,5,5-trimethylhexyl acetate	58430-94-7	ErC50	>3.8 mg/l	algae	72 h
3,5,5-trimethylhexyl acetate	58430-94-7	NOEC	4 mg/l	fish	96 h
benzyl benzoate	120-51-4	LC50	2.32 mg/l	fish	96 h
benzyl benzoate	120-51-4	EC50	4.26 mg/l	aquatic invertebrates	24 h
benzyl benzoate	120-51-4	ErC50	0.475 mg/l	algae	72 h
benzyl benzoate	120-51-4	NOEC	1.73 mg/l	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	LC50	27.8 mg/l	fish	96 h
Dihydromyrcenol	18479-58-8	EC50	38 mg/l	aquatic invertebrates	48 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Dihydromyrcenol	18479-58-8	ErC50	80 mg/l	algae	72 h
Dihydromyrcenol	18479-58-8	NOEC	<3.5 mg/l	fish	96 h
Dihydromyrcenol	18479-58-8	LOEC	50 mg/l	algae	72 h
Linalyl acetate	115-95-7	ErC50	62 mg/l	algae	72 h
Linalyl acetate	115-95-7	LC50	11 mg/l	fish	96 h
Linalyl acetate	115-95-7	EC50	59 mg/l	aquatic invertebrates	48 h
Linalyl acetate	115-95-7	NOEC	25 mg/l	aquatic invertebrates	48 h
2,6-dimethylheptan-2-ol	13254-34-7	LC50	<46.4 mg/l	fish	96 h
2,6-dimethylheptan-2-ol	13254-34-7	EC50	24.18 mg/l	aquatic invertebrates	48 h
2,6-dimethylheptan-2-ol	13254-34-7	ErC50	23.77 mg/l	algae	72 h
Dorisyl	32210-23-4	LC50	8.6 mg/l	fish	96 h
Dorisyl	32210-23-4	EC50	5.3 mg/l	aquatic invertebrates	48 h
Dorisyl	32210-23-4	ErC50	22 mg/l	algae	72 h
Dorisyl	32210-23-4	NOEC	6.8 mg/l	algae	72 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LC50	24 mg/l	fish	24 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	EC50	23 mg/l	aquatic invertebrates	48 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	ErC50	25.1 mg/l	algae	72 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	NOEC	5 mg/l	fish	96 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LOEC	16 mg/l	fish	96 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	96 h
Linalool	78-70-6	EC50	59 mg/l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 mg/l	algae	96 h
Linalool	78-70-6	NOEC	<3.5 mg/l	fish	96 h
Tetramethyl Acetyloctahydronaphthalenes	proprietary	LC50	1.3 mg/l	fish	96 h
Tetramethyl Acetyloctahydronaphthalenes	proprietary	EC50	1.38 mg/l	aquatic invertebrates	48 h

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Tetramethyl Acetyloctahydronaphthalenes	proprietary	ErC50	>2.6 mg/l	algae	24 h
Tetramethyl Acetyloctahydronaphthalenes	proprietary	NOEC	≥2.6 mg/l	algae	72 h
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	LC50	9.2 mg/l	fish	24 h
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	EC50	>9.9 mg/l	aquatic invertebrates	24 h
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	ErC50	12 mg/l	algae	72 h
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	NOEC	1.8 mg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	LC50	720 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	688 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	ErC50	0.32 mg/l	algae	72 h
(R)-p-mentha-1,8-diene	5989-27-5	NOEC	0.09 mg/l	algae	48 h
Cineole	470-82-6	LC50	57 mg/l	fish	96 h
Cineole	470-82-6	EC50	>100 mg/l	aquatic invertebrates	48 h
Cineole	470-82-6	ErC50	>74 mg/l	algae	72 h
Cineole	470-82-6	NOEC	32 mg/l	fish	96 h
β-pinene	127-91-3 18172-67-3	LC50	0.68 mg/l	fish	96 h
β-pinene	127-91-3 18172-67-3	EC50	1.09 mg/l	aquatic invertebrates	48 h
β-pinene	127-91-3 18172-67-3	ErC50	0.7 mg/l	algae	72 h
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	LC50	8.61 mg/l	fish	96 h
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	EC50	26.4 mg/l	aquatic invertebrates	24 h
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	ErC50	22.2 mg/l	algae	72 h
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	NOEC	3.83 mg/l	algae	72 h
dihydro pentamethylindanone	33704-61-9	LC50	1.7 mg/l	fish	96 h
dihydro pentamethyl-	33704-61-9	EC50	1.5 mg/l	aquatic invertebrates	48 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
indanone					
dihydro pentamethyl-indanone	33704-61-9	ErC50	10 mg/l	algae	72 h
dihydro pentamethyl-indanone	33704-61-9	NOEC	1.4 mg/l	algae	72 h
Allyl (3-methylbutoxy)acetate	67634-00-8	LC50	0.768 mg/l	fish	96 h
Allyl (3-methylbutoxy)acetate	67634-00-8	EC50	2.06 mg/l	algae	96 h
Floralozone	67634-15-5	LC50	>0.7 mg/l	fish	96 h
Floralozone	67634-15-5	EC50	0.87 mg/l	aquatic invertebrates	48 h
Floralozone	67634-15-5	ErC50	>1.2 mg/l	algae	72 h
Floralozone	67634-15-5	NOEC	1.2 mg/l	algae	72 h
α-pinene	80-56-8	LC50	0.303 mg/l	fish	96 h
α-pinene	80-56-8	EC50	0.475 mg/l	aquatic invertebrates	48 h
α-pinene	80-56-8	NOEC	0.131 mg/l	algae	48 h
Eugenol	97-53-0	LC50	13 mg/l	fish	24 h
Eugenol	97-53-0	EC50	1.05 mg/l	aquatic invertebrates	48 h
Eugenol	97-53-0	ErC50	24 mg/l	algae	72 h
Eugenol	97-53-0	NOEC	10 mg/l	fish	24 h
Eugenol	97-53-0	LOEC	38 mg/l	algae	72 h
Coumarin	91-64-5	LC50	2.94 mg/l	fish	96 h
Coumarin	91-64-5	EC50	8.012 mg/l	aquatic invertebrates	48 h
Coumarin	91-64-5	NOEC	0.431 mg/l	algae	72 h
Caryophyllene	87-44-5	EC50	>0.17 mg/l	aquatic invertebrates	48 h
Caryophyllene	87-44-5	ErC50	>0.033 mg/l	algae	72 h
Caryophyllene	87-44-5	NOEC	≥0.033 mg/l	algae	72 h
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	LC50	0.44 mg/l	fish	96 h
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	EC50	0.8 mg/l	aquatic invertebrates	48 h
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	ErC50	0.45 mg/l	algae	72 h
L-menthan-3-one	14073-97-3	LC50	>28 mg/l	fish	96 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
L-menthan-3-one	14073-97-3	EC50	30.6 mg/l	aquatic invertebrates	48 h
L-menthan-3-one	14073-97-3	ErC50	58 mg/l	algae	72 h
L-menthan-3-one	14073-97-3	LOEC	28 mg/l	fish	96 h
L-menthan-3-one	14073-97-3	NOEC	<28 mg/l	fish	96 h

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	EC50	>5.4 mg/l	aquatic invertebrates	24 h
3,5,5-trimethylhexyl acetate	58430-94-7	NOEC	100 mg/l	microorganisms	32 d
benzyl benzoate	120-51-4	LC50	11 mg/l	aquatic invertebrates	24 h
benzyl benzoate	120-51-4	EC50	>10,000 mg/l	microorganisms	3 h
benzyl benzoate	120-51-4	NOEC	0.023 mg/l	fish	35 d
benzyl benzoate	120-51-4	LOEC	0.049 mg/l	fish	35 d
Dihydromyrcenol	18479-58-8	EC50	17 mg/l	aquatic invertebrates	21 d
Dihydromyrcenol	18479-58-8	NOEC	9.5 mg/l	aquatic invertebrates	21 d
Linalyl acetate	115-95-7	LC50	11.14 mg/l	fish	20 h
Linalyl acetate	115-95-7	NOEC	>25.7 mg/l	microorganisms	28 d
Dorisyyl	32210-23-4	EC50	302 mg/l	microorganisms	3 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	EC50	59 mg/l	aquatic invertebrates	24 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LC50	28 mg/l	fish	3 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	24 h
Linalool	78-70-6	EC50	>100 mg/l	microorganisms	30 min
Tetramethyl Acetyloc-tahydronaphthalenes	proprietary	LC50	>0.3 mg/l	fish	30 d
Tetramethyl Acetyloc-tahydronaphthalenes	proprietary	EC50	>0.448 mg/l	aquatic invertebrates	21 d
Tetramethyl Acetyloc-tahydronaphthalenes	proprietary	NOEC	0.54 mg/l	fish	30 d
Tetramethyl Acetyloc-	proprietary	LOEC	0.29 mg/l	fish	30 d

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
tahydronaphthalenes					
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	EC50	2.4 mg/l	aquatic invertebrates	21 d
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	LOEC	0.9 mg/l	fish	33 d
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	NOEC	0.22 mg/l	fish	33 d
(R)-p-mentha-1,8-diene	5989-27-5	EC50	<0.67 mg/l	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5	LC50	0.41 mg/l	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5	NOEC	0.37 mg/l	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5	LOEC	0.67 mg/l	fish	8 d
Cineole	470-82-6	EC50	>100 mg/l	microorganisms	3 h
$\beta$ -pinene	127-91-3 18172-67-3	EC50	326 mg/l	microorganisms	3 h
dihydro pentamethylindanone	33704-61-9	EC50	>1,000 mg/l	microorganisms	3 h
Allyl (3-methylbutoxy)acetate	67634-00-8	EC50	8.47 mg/l	microorganisms	3 h
Floralozone	67634-15-5	EC50	1.7 mg/l	aquatic invertebrates	21 d
Floralozone	67634-15-5	NOEC	0.7 mg/l	aquatic invertebrates	21 d
$\alpha$ -pinene	80-56-8	NOEC	2 mg/l	microorganisms	28 d
Eugenol	97-53-0	LC50	13 mg/l	fish	24 h
Eugenol	97-53-0	NOEC	10 mg/l	fish	24 h
Coumarin	91-64-5	NOEC	0.191 mg/l	fish	30 d
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	EC50	326 mg/l	microorganisms	3 h

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

### 14.1 UN number

DOT	UN 3082
IMDG-Code	UN 3082
ICAO-TI	UN 3082

### 14.2 UN proper shipping name

DOT	Environmentally hazardous substance, liquid, n.o.s.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.
Technical name (hazardous ingredients)	3,5,5-trimethylhexyl acetate, benzyl benzoate

### 14.3 Transport hazard class(es)

DOT	9
IMDG-Code	9
ICAO-TI	9

### 14.4 Packing group

DOT	III
IMDG-Code	III

**Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm**

Version number: 10.0  
Replaces version of: 2024-02-19 (9)


Revision: 2024-07-11

<p>ICAO-TI</p> <p><b>14.5 Environmental hazards</b></p> <p>Environmentally hazardous substance (aquatic environment)</p> <p><b>14.6 Special precautions for user</b></p> <p>There is no additional information.</p> <p><b>14.7 Transport in bulk according to IMO instruments</b></p> <p>The cargo is not intended to be carried in bulk.</p>	<p>III</p> <p>hazardous to the aquatic environment</p> <p>3,5,5-trimethylhexyl acetate, benzyl benzoate</p>
---	---


**Information for each of the UN Model Regulations**

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:  
 DOT: 171.4(2)  
 ADR: SP 375  
 IMDG: 2.10.2.7  
 IATA: special provision A197, DOT

**Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information**

<p>Particulars in the shipper's declaration</p> <p>Danger label(s)</p>  <p>Environmental hazards</p> <p>Special provisions (SP)</p> <p>ERG No</p>	<p>UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: 3,5,5-trimethylhexyl acetate, benzyl benzoate), 9, III</p> <p>9, fish and tree</p> <p>yes (hazardous to the aquatic environment)</p> <p>8, 146, 173, 335, 441, IB3, T4, TP1, TP29</p> <p>171</p>
--	---

**International Maritime Dangerous Goods Code (IMDG) - Additional information**

<p>Particulars in the shipper's declaration</p> <p>Marine pollutant</p> <p>Danger label(s)</p>  <p>Special provisions (SP)</p> <p>Excepted quantities (EQ)</p>	<p>UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: 3,5,5-trimethylhexyl acetate, benzyl benzoate), 9, III</p> <p>yes (hazardous to the aquatic environment) (3,5,5-trimethylhexyl acetate)</p> <p>9, fish and tree</p> <p>274, 335, 969</p> <p>E1</p>
---	---

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: 3,5,5-trimethylhexyl acetate, benzyl benzoate), 9, III
Environmental hazards	YES (hazardous to the aquatic environment)
Danger label(s)	9, fish and tree



Special provisions (SP)	A97, A158, A197, A215
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### National regulations (United States)

**Toxic Substance Control Act (TSCA)** not all ingredients are listed (ACTIVE)

#### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

#### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

#### Clean Air Act

none of the ingredients are listed

#### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
3,5,5-trimethylhexyl acetate	58430-94-7	fragrance	
benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens
Dihydromyrcenol	18479-58-8	fragrance	



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

Name of substance	CAS No	Functionality	Authoritative Lists
Linalyl acetate	115-95-7		EU Fragrance Allergens
2-t-Butylcyclohexyl Acetate	88-41-5	fragrance	
2,6-dimethylheptan-2-ol	13254-34-7	fragrance	
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	fragrance	
Dorisyl	32210-23-4	fragrance	
Linalool	78-70-6	fragrance	EU Fragrance Allergens
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	139504-68-0	fragrance	
(R)-p-mentha-1,8-diene	5989-27-5	fragrance	EU Fragrance Allergens
$\beta$ -pinene	18172-67-3		EU Fragrance Allergens
Cineole	470-82-6	fragrance	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methyl-2-naphthyl)ethan-1-one	54464-57-2		EU Fragrance Allergens
BHT	128-37-0	preservative	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-indeno[5,6-c]pyran	1222-05-5		EU Fragrance Allergens
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	fragrance	
Floralozone	67634-15-5	fragrance	
dihydro pentamethylindanone	33704-61-9	fragrance	
$\alpha$ -pinene	80-56-8		EU Fragrance Allergens
Ethylene brassylate	105-95-3	fragrance	
Eugenol	97-53-0	fragrance	EU Fragrance Allergens
camphene	79-92-5	fragrance	
Coumarin	91-64-5	fragrance	EU Fragrance Allergens
Calone	28940-11-6	fragrance	
Caryophyllene	87-44-5		EU Fragrance Allergens
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	fragrance	
Cinnamal	104-55-2	fragrance	EU Fragrance Allergens
beta-Myrcene (Natural Source)	123-35-3	fragrance	IARC Carcinogens - 2B

### - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
$\alpha$ -pinene	80-56-8		F3
(R)-p-mentha-1,8-diene	138-86-3		F2



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### Legend

- F2 Flammable - Second Degree
- F3 Flammable - Third Degree

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
methyleugenol	93-15-2		cancer
beta-Myrcene	123-35-3		cancer

### Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	not all ingredients are listed
VN	NCI	not all ingredients are listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Refresh Your Car Mini Diffuser Lightning Bolt/Ice Storm

Version number: 10.0  
Replaces version of: 2024-02-19 (9)

Revision: 2024-07-11

### SECTION 16: Other information, including date of preparation or last revision

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
11.1		Acute toxicity estimate (ATE) of components: change in the listing (table)	yes

#### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.