



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

SECTION 1: Identification

1.1 Product identifier

Trade name **Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade**
Alternative number(s) 012844090222

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
e-mail: Autocare.regulatory@energizer.com
Website: <http://data.energizer.com>

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727
This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.4S	skin sensitization	1	Skin Sens. 1	H317
B.6	flammable liquid	4	Flam. Liq. 4	H227

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

- Pictograms

GHS07



- Hazard statements

H227 Combustible liquid.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261 Avoid breathing mist/vapors.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/eye protection/face protection.
P302+P352 If on skin: Wash with plenty of water.
P321 Specific treatment (see on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash it before reuse.
P363 Wash contaminated clothing before reuse.
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

(R)-p-mentha-1,8-diene, Geranyl acetate, citral, Linalyl acetate, Benzyl salicylate, Aldehyde C-16, Dimethylcyclohex-3-ene-1-carbaldehyde, Linalool, 3,7-dimethylnona-1,6-dien-3-ol, Dorisyl, Floralozone

2.3 Other hazards

This material is combustible, but will not ignite readily.

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral).

Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
3,5,5-trimethylhexyl acetate	CAS No 58430-94-7	25 - < 50	Skin Irrit. 2 / H315 Flam. Liq. 4 / H227	
(R)-p-mentha-1,8-diene	CAS No 5989-27-5	1 - < 5	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	
Dihydromyrcenol	CAS No 18479-58-8	1 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227	
Linalyl acetate	CAS No 115-95-7	1 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	
isopentyl acetate	CAS No 123-92-2	1 - < 5	Flam. Liq. 3 / H226	
Linalool	CAS No 78-70-6	1 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	
Dorisyli	CAS No 32210-23-4	1 - < 5	Skin Sens. 1B / H317	
Allyl Caproate	CAS No 123-68-2	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Flam. Liq. 4 / H227	
Dimethylcyclohex-3-ene-1-carbaldehyde	CAS No 27939-60-2	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	
Benzyl salicylate	CAS No 118-58-1	< 1	Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Aldehyde C-16	CAS No 77-83-8	< 1	Skin Sens. 1B / H317	
Geranyl acetate	CAS No 105-87-3	< 1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317	
3,7-dimethylnona-1,6-dien-3-ol	CAS No 10339-55-6	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
citral	CAS No 5392-40-5	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317	
Floralozone	CAS No 67634-15-5	< 1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317	

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	isoamyl acetate	123-92-2	REL	100 (10 h)	525 (10 h)						NIOSH REL



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	isoamyl acetate	123-92-2	PEL	100	525						29 CFR 1910.1000
US	isoamyl acetate (3-methylbutyl acetate)	123-92-2	PEL (CA)	50	266	100	532				Cal/OSHA PEL
US	isopentyl acetate	123-92-2	TLV®	50		100					AC-GIH® 2022
US	2,6-di-tert-butyl-p-cresol	128-37-0	PEL (CA)		10						Cal/OSHA PEL
US	2,6-di-tert-butyl-p-cresol	128-37-0	REL		10 (10 h)						NIOSH REL
US	butylated hydroxytoluene	128-37-0	TLV®		2					iv	AC-GIH® 2022
US	benzyl acetate	140-11-4	PEL (CA)	10	61						Cal/OSHA PEL
US	benzyl acetate	140-11-4	TLV®	10							AC-GIH® 2022
US	citral	5392-40-5	TLV®	5						iv, H	AC-GIH® 2022

Notation

Ceiling-C

H

iv

STEL

TWA

ceiling value is a limit value above which exposure should not occur

absorbed through the skin

inhalable fraction and vapor

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	DNEL	5.64 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
3,5,5-trimethylhexyl acetate	58430-94-7	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	66.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8-diene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	24.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	2.75 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	236.2 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Linalyl acetate	115-95-7	DNEL	236.2 µg/cm ²	human, dermal	worker (industry)	acute - local effects
Linalool	78-70-6	DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	24.58 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	3.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Allyl Caproate	123-68-2	DNEL	15 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Allyl Caproate	123-68-2	DNEL	4.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	DNEL	24.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	DNEL	7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	DNEL	1,163 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Benzyl salicylate	118-58-1	DNEL	7.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Benzyl salicylate	118-58-1	DNEL	2.21 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	17.63 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	35.26 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Aldehyde C-16	77-83-8	DNEL	44.08 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Aldehyde C-16	77-83-8	DNEL	88.16 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Aldehyde C-16	77-83-8	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Geranyl acetate	105-87-3	DNEL	62.59 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Geranyl acetate	105-87-3	DNEL	35.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	18 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	2.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	5.5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
citral	5392-40-5	DNEL	9 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
citral	5392-40-5	DNEL	1.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
citral	5392-40-5	DNEL	140 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Floralozone	67634-15-5	DNEL	14.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Floralozone	67634-15-5	DNEL	4.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Floralozone	67634-15-5	DNEL	5,295 µg/cm ²	human, dermal	worker (industry)	chronic - local effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	7.7 µg/l	aquatic organisms	freshwater	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.77 µg/l	aquatic organisms	marine water	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	2.895 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.29 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	2.66 mg/kg	aquatic organisms	water	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	0.573 mg/kg	terrestrial organisms	soil	short-term (single instance)
3,5,5-trimethylhexyl acetate	58430-94-7	PNEC	77 µg/l	aquatic organisms	water	intermittent release
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	14 µg/l	aquatic organisms	freshwater	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.4 µg/l	aquatic organisms	marine water	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	1.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	3.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.385 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(R)-p-mentha-1,8-diene	5989-27-5	PNEC	0.763 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	111 mg/kg	aquatic organisms	water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.278 mg/l	aquatic organisms	water	intermittent release
Dihydromyrcenol	18479-58-8	PNEC	27.8 µg/l	aquatic organisms	freshwater	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	2.78 µg/l	aquatic organisms	marine water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.594 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.059 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.103 mg/kg	terrestrial organisms	soil	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.11 mg/l	aquatic organisms	water	intermittent release
Linalyl acetate	115-95-7	PNEC	0.011 mg/l	aquatic organisms	freshwater	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.609 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.061 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.115 mg/kg	terrestrial organisms	soil	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
isopentyl acetate	123-92-2	PNEC	0.011 mg/l	aquatic organisms	freshwater	short-term (single instance)
isopentyl acetate	123-92-2	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
isopentyl acetate	123-92-2	PNEC	30 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
isopentyl acetate	123-92-2	PNEC	0.335 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
isopentyl acetate	123-92-2	PNEC	0.034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
isopentyl acetate	123-92-2	PNEC	0.06 mg/kg	terrestrial organisms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 mg/kg	aquatic organisms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 mg/l	aquatic organisms	water	intermittent release
Linalool	78-70-6	PNEC	0.2 mg/l	aquatic organisms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	5.3 µg/l	aquatic organisms	freshwater	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.53 µg/l	aquatic organisms	marine water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	12.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dorisyl	32210-23-4	PNEC	2.01 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Dorisyl	32210-23-4	PNEC	0.21 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dorisyl	32210-23-4	PNEC	66.67 mg/kg	aquatic organisms	water	short-term (single instance)
Dorisyl	32210-23-4	PNEC	0.42 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dorisyl	32210-23-4	PNEC	53 µg/l	aquatic organisms	water	intermittent release
Allyl Caproate	123-68-2	PNEC	47.56 mg/kg	aquatic organisms	water	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	1.17 µg/l	aquatic organisms	water	intermittent release
Allyl Caproate	123-68-2	PNEC	0.117 µg/l	aquatic organisms	freshwater	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.012 µg/l	aquatic organisms	marine water	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	4.46 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.446 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.825 µg/kg	terrestrial organisms	soil	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.009 mg/l	aquatic organisms	freshwater	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	13.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.169 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.017 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.025 mg/kg	terrestrial organisms	soil	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Benzyl salicylate	118-58-1	PNEC	0.0103 mg/l	aquatic organisms	water	intermittent release
Benzyl salicylate	118-58-1	PNEC	80 mg/kg	aquatic organisms	water	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.001 mg/l	aquatic organisms	freshwater	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.583 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	0.058 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Benzyl salicylate	118-58-1	PNEC	1.41 mg/kg	terrestrial organisms	soil	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	23.3 mg/kg	aquatic organisms	water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.084 mg/l	aquatic organisms	water	intermittent release
Aldehyde C-16	77-83-8	PNEC	0.008 mg/l	aquatic organisms	freshwater	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	8.4 µg/l	aquatic organisms	marine water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.214 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.021 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.038 mg/kg	terrestrial organisms	soil	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	37.2 µg/l	aquatic organisms	water	intermittent release
Geranyl acetate	105-87-3	PNEC	3.72 µg/l	aquatic organisms	freshwater	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Geranyl acetate	105-87-3	PNEC	0.372 µg/l	aquatic organisms	marine water	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.442 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.044 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Geranyl acetate	105-87-3	PNEC	0.086 mg/kg	terrestrial organisms	soil	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	8.53 mg/kg	aquatic organisms	water	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.23 mg/l	aquatic organisms	water	intermittent release
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.023 mg/l	aquatic organisms	freshwater	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.223 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.022 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.031 mg/kg	terrestrial organisms	soil	short-term (single instance)
citral	5392-40-5	PNEC	0.007 mg/l	aquatic organisms	freshwater	short-term (single instance)
citral	5392-40-5	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
citral	5392-40-5	PNEC	1.6 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
citral	5392-40-5	PNEC	0.125 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
citral	5392-40-5	PNEC	0.013 mg/kg	aquatic organisms	marine sediment	short-term (single instance)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
citral	5392-40-5	PNEC	0.021 mg/kg	terrestrial organisms	soil	short-term (single instance)
Floralozone	67634-15-5	PNEC	0.006 mg/l	aquatic organisms	freshwater	short-term (single instance)
Floralozone	67634-15-5	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Floralozone	67634-15-5	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Floralozone	67634-15-5	PNEC	0.635 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Floralozone	67634-15-5	PNEC	0.064 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Floralozone	67634-15-5	PNEC	0.124 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	light red - yellow
Particle	not relevant (liquid)
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	142.5 °C at 1,013 hPa
Flash point	64 °C
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	4.5 mmHg at 20 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	422 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)
--	--

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Allyl Caproate	123-68-2	oral	100 mg/kg
Allyl Caproate	123-68-2	dermal	820 mg/kg
Allyl Caproate	123-68-2	inhalation: vapor	3 mg/l/4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
(R)-p-mentha-1,8-diene	5989-27-5	3	

Legend

3 Not classifiable as to carcinogenicity in humans



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	LC50	7.7 mg/l	fish	96 h
3,5,5-trimethylhexyl acetate	58430-94-7	EC50	>5.4 mg/l	aquatic invertebrates	24 h
3,5,5-trimethylhexyl acetate	58430-94-7	ErC50	>3.8 mg/l	algae	72 h
(R)-p-mentha-1,8-diene	5989-27-5	LC50	720 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	688 µg/l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	ErC50	0.32 mg/l	algae	72 h
Dihydromyrcenol	18479-58-8	LC50	27.8 mg/l	fish	96 h
Dihydromyrcenol	18479-58-8	EC50	38 mg/l	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	ErC50	80 mg/l	algae	72 h
Linalyl acetate	115-95-7	ErC50	62 mg/l	algae	72 h
Linalyl acetate	115-95-7	LC50	11 mg/l	fish	96 h
Linalyl acetate	115-95-7	EC50	59 mg/l	aquatic invertebrates	48 h
isopentyl acetate	123-92-2	LC50	11.1 mg/l	fish	96 h
isopentyl acetate	123-92-2	EC50	47.5 mg/l	aquatic invertebrates	24 h



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
isopentyl acetate	123-92-2	ErC50	>466 mg/l	algae	72 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	96 h
Linalool	78-70-6	EC50	59 mg/l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 mg/l	algae	96 h
Dorisyl	32210-23-4	LC50	8.6 mg/l	fish	96 h
Dorisyl	32210-23-4	EC50	5.3 mg/l	aquatic invertebrates	48 h
Dorisyl	32210-23-4	ErC50	22 mg/l	algae	72 h
Allyl Caproate	123-68-2	LC50	0.201 mg/l	fish	24 h
Allyl Caproate	123-68-2	EC50	2 mg/l	aquatic invertebrates	48 h
Allyl Caproate	123-68-2	ErC50	>4.6 mg/l	algae	72 h
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	LC50	8.61 mg/l	fish	96 h
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	EC50	26.4 mg/l	aquatic invertebrates	24 h
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	ErC50	22.2 mg/l	algae	72 h
Benzyl salicylate	118-58-1	LC50	1.03 mg/l	fish	96 h
Benzyl salicylate	118-58-1	EC50	1.21 mg/l	aquatic invertebrates	24 h
Benzyl salicylate	118-58-1	ErC50	1.29 mg/l	algae	72 h
Aldehyde C-16	77-83-8	LC50	4.2 mg/l	fish	96 h
Aldehyde C-16	77-83-8	EC50	95 mg/l	aquatic invertebrates	24 h
Aldehyde C-16	77-83-8	ErC50	36 mg/l	algae	72 h
Geranyl acetate	105-87-3	LC50	68.12 mg/l	fish	96 h
Geranyl acetate	105-87-3	EC50	14.1 mg/l	aquatic invertebrates	48 h
Geranyl acetate	105-87-3	ErC50	3.72 mg/l	algae	72 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LC50	24 mg/l	fish	24 h



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	EC50	23 mg/l	aquatic invertebrates	48 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	ErC50	25.1 mg/l	algae	72 h
citral	5392-40-5	LC50	6.78 mg/l	fish	96 h
citral	5392-40-5	EC50	6.8 mg/l	aquatic invertebrates	48 h
citral	5392-40-5	ErC50	103.8 mg/l	algae	72 h
Floralozone	67634-15-5	LC50	>0.7 mg/l	fish	96 h
Floralozone	67634-15-5	EC50	0.87 mg/l	aquatic invertebrates	48 h
Floralozone	67634-15-5	ErC50	>1.2 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,5,5-trimethylhexyl acetate	58430-94-7	EC50	>5.4 mg/l	aquatic invertebrates	24 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	<0.67 mg/l	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5	LC50	0.41 mg/l	fish	8 d
Dihydromyrcenol	18479-58-8	EC50	17 mg/l	aquatic invertebrates	21 d
Linalyl acetate	115-95-7	LC50	11.14 mg/l	fish	20 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	24 h
Linalool	78-70-6	EC50	>100 mg/l	microorganisms	30 min
Dorisyl	32210-23-4	EC50	302 mg/l	microorganisms	3 h
Benzyl salicylate	118-58-1	EC50	1.21 mg/l	aquatic invertebrates	24 h
Benzyl salicylate	118-58-1	LC50	4.34 mg/l	aquatic invertebrates	24 h
Aldehyde C-16	77-83-8	EC50	95 mg/l	aquatic invertebrates	24 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	EC50	59 mg/l	aquatic invertebrates	24 h



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LC50	28 mg/l	fish	3 h
citral	5392-40-5	EC50	160 mg/l	microorganisms	30 min
Floralozone	67634-15-5	EC50	1.7 mg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

SECTION 14: Transport information

- | | |
|--|--|
| 14.1 UN number | not assigned |
| 14.2 UN proper shipping name | not assigned |
| 14.3 Transport hazard class(es) | not assigned |
| 14.4 Packing group | not assigned |
| 14.5 Environmental hazards | not assigned |
| 14.6 Special precautions for user | There is no additional information. |
| 14.7 Transport in bulk according to IMO instruments | The cargo is not intended to be carried in bulk. |

Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:

DOT: 171.4(2)

ADR: SP 375

IMDG: 2.10.2.7

IATA: special provision A197, DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

Reportable quantity (RQ) 216,450 lbs (98,268 kg) (isopentyl acetate)

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
isopentyl acetate	123-92-2		1	5000 (2270)

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
3,5,5-trimethylhexyl acetate	58430-94-7	fragrance	
Benzyl acetate	140-11-4	fragrance	
(R)-p-mentha-1,8-diene	5989-27-5	fragrance	EU Fragrance Allergens
Dihydromyrcenol	18479-58-8	fragrance	
Linalyl acetate	115-95-7	fragrance	
isopentyl acetate	123-92-2	fragrance	
2-t-Butylcyclohexyl Acetate	88-41-5	fragrance	
Linalool	78-70-6	fragrance	EU Fragrance Allergens
Tricyclodecanyl propionate	68912-13-0 17511-60-3	fragrance	
Dorisyl	32210-23-4	fragrance	
BHT	128-37-0	preservative	
Allyl Caproate	123-68-2	fragrance	
ethyl butyrate	105-54-4	fragrance	
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	fragrance	
Benzyl salicylate	118-58-1	fragrance	EU Fragrance Allergens
Aldehyde C-16	77-83-8	fragrance	
2,6-dimethylheptan-2-ol	13254-34-7	fragrance	
Beta-ionone	79-77-6	fragrance	



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Name of substance	CAS No	Functionality	Authoritative Lists
acetophenone	98-86-2		CA TACs
Geranyl acetate	105-87-3	fragrance	
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	fragrance	
citral	5392-40-5	fragrance	EU Fragrance Allergens
Floralozone	67634-15-5	fragrance	
Undecavertol	81782-77-6	fragrance	
[1 α (E),2 β]-Damascone	57378-68-4 71048-82-3	fragrance	
Aldehyde C12 MNA	110-41-8	fragrance	
benzyl alcohol	100-51-6	fragrance	EU Fragrance Allergens

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concentration Threshold
isopentyl acetate	123-92-2				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
isopentyl acetate	123-92-2	A, O	

Legend

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
isopentyl acetate	123-92-2		F3
(R)-p-mentha-1,8-diene	138-86-3		F2

Legend

- F2 Flammable - Second Degree
- F3 Flammable - Third Degree



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
1-BUTANOL, 3-METHYL-, ACETATE	123-92-2	E

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
isopentyl acetate	123-92-2	T

Legend

T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources.	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2	- Hazardous ingredients for labelling: dipentene, citral, Geranyl acetate, Linalyl acetate, Benzyl salicylate, Aldehyde C-16, Dimethylcyclohex-3-ene-1-carbaldehyde, Linalool, Dorisyl, Aldehyde C12 MNA	- Hazardous ingredients for labelling: (R)-p-mentha-1,8-diene, Geranyl acetate, citral, Linalyl acetate, Benzyl salicylate, Aldehyde C-16, Dimethylcyclohex-3-ene-1-carbaldehyde, Linalool, 3,7-dimethylnona-1,6-dien-3-ol, Dorisyl, Floralozone	yes
2.3	Other hazards	Other hazards: This material is combustible, but will not ignite readily.	yes
3.2		Description of the mixture: change in the listing (table)	yes
5.2	Special hazards arising from the substance or mixture	Special hazards arising from the substance or mixture: In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
7.1	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas.	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.	yes
7.1		Specific notes/details: Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.	yes
7.2	- Packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.		yes
7.2		Managing of associated risks	yes
7.2		- Explosive atmospheres: Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.	yes
7.2		- Flammability hazards: Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.	yes
7.2		- Ventilation requirements: Use local and general ventilation. Ground/bond container and receiving equipment.	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	pH (value): 4	pH (value): not determined	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
9.1	Initial boiling point and boiling range: 121 °C at 972.4 hPa	Initial boiling point and boiling range: 142.5 °C at 1,013 hPa	yes
9.1	Flash point: 94 °C	Flash point: 64 °C	yes
9.1	Vapor pressure: 1,750 Pa at 20 °C	Vapor pressure: 4.5 mmHg at 20 °C	yes
9.1	Auto-ignition temperature: 422 °C (auto-ignition temperature (liquids and gases))	Auto-ignition temperature: 422 °C	yes
10.1	Reactivity: Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".	Reactivity: Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.	yes
10.1		If heated: Risk of ignition	yes
10.4	Conditions to avoid: There are no specific conditions known which have to be avoided.	Conditions to avoid: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	yes
10.4		Hints to prevent fire or explosion: Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.1	Serious eye damage/eye irritation: Causes serious eye irritation.	Serious eye damage/eye irritation: Shall not be classified as seriously damaging to the eye or eye irritant.	yes
11.1		IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
13.1		Waste treatment-relevant information: Solvent reclamation/regeneration.	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
13.1	Waste treatment of containers/packages: Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	Waste treatment of containers/packages: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	yes
14.1	UN number	UN number: not assigned	yes
14.1	DOT: UN 3082		yes
14.1	IMDG-Code: UN 3082		yes
14.1	ICAO-TI: UN 3082		yes
14.2	DOT: Environmentally hazardous substance, liquid, n.o.s.		yes
14.2	IMDG-Code: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.		yes
14.2	ICAO-TI: Environmentally hazardous substance, liquid, n.o.s.		yes
14.2	Technical name (hazardous ingredients): 3,5,5-trimethylhexyl acetate, dipentene		yes
14.3	DOT: 9		yes
14.3	IMDG-Code: 9		yes
14.3	ICAO-TI: 9		yes
14.4	DOT: III		yes
14.4	IMDG-Code: III		yes
14.4	ICAO-TI: III		yes
14.5	Environmentally hazardous substance (aquatic environment): 3,5,5-trimethylhexyl acetate, dipentene		yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: 3,5,5-trimethylhexyl acetate, dipentene), 9, III		yes
14.7	Danger label(s): 9, fish and tree		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Environmental hazards: yes (hazardous to the aquatic environment)		yes
14.7	Special provisions (SP): 8, 146, 173, 335, IB3, T4, TP1, TP29		yes
14.7	ERG No: 171		yes
14.7	Particulars in the shipper's declaration: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: 3,5,5-trimethylhexyl acetate, dipentene), 9, III		yes
14.7	Marine pollutant: yes (hazardous to the aquatic environment) (3,5,5-trimethylhexyl acetate)		yes
14.7	Danger label(s): 9, fish and tree		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 274, 335, 969		yes
14.7	Excepted quantities (EQ): E1		yes
14.7	Limited quantities (LQ): 5 L		yes
14.7	EmS: F-A, S-F		yes
14.7	Stowage category: A		yes
14.7	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: 3,5,5-trimethylhexyl acetate, dipentene), 9, III		yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7	Environmental hazards: yes (hazardous to the aquatic environment)		yes
14.7	Danger label(s): 9, fish and tree		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): A97, A158, A197, A215		yes
14.7	Excepted quantities (EQ): E1		yes
14.7	Limited quantities (LQ): 30 kg		yes
15.1	Specific Toxic Chemical Listings (EPCRA Section 313)		yes
15.1		Toxics Release Inventory: Specific Toxic Chemical Listings: change in the listing (table)	yes
14.2	UN proper shipping name	UN proper shipping name: not assigned	yes
14.3	Transport hazard class(es)	Transport hazard class(es): not assigned	yes
14.4	Packing group	Packing group: not assigned	yes
14.5	Environmental hazards: hazardous to the aquatic environment	Environmental hazards: not assigned	yes
14.7	Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information	Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information: Not subject to transport regulations.	yes
14.7		Reportable quantity (RQ): 216,450 lbs (98,268 kg) (isopentyl acetate)	yes
14.7	International Maritime Dangerous Goods Code (IMDG) - Additional information	International Maritime Dangerous Goods Code (IMDG) - Additional information: Not subject to IMDG.	yes
14.7	International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information	International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information: Not subject to ICAO-IATA.	yes
15.1		List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4): change in the listing (table)	yes



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		Toxic or Hazardous Substance List (MA-TURA): change in the listing (table)	yes
15.1		Hazardous Substances List (MN-ERTK): change in the listing (table)	yes
15.1		Hazardous Substance List (NJ-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (Chapter 323) (PA-RTK): change in the listing (table)	yes
15.1		Hazardous Substance List (RI-RTK): change in the listing (table)	yes
15.1		NPCA-HMIS® III: change in the listing (table)	yes
15.1		NFPA® 704: change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2022	From ACGIH®, 2022 TLVs® and BEIs® Book. Copyright 2022. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Abbr.	Descriptions of used abbreviations
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LHS	Lower hazard substance
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Abbr.	Descriptions of used abbreviations
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.



Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

Refresh Your Car Dual Scent Diffuser Fresh Strawberry/Cool Lemonade

Version number: GHS 10.0
Replaces version of: 2022-07-28 (GHS 9)

Revision: 2022-11-01

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.