



## Material Safety Data Sheet

### QUIXX Acrylic Scratch Remover for Acrylic Glass and Plexiglas®

Version 1.1

Revision Date 10/11/2007

Print Date 10/11/2007

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : **QUIXX Acrylic Scratch Remover for Acrylic Glass and Plexiglas®**  
MSDS Number : 888100004729  
Product Use Description : Polishing Paste  
Company : E.V.I. Vertriebs GmbH  
Gautinger Str. 40a  
82061 Neuried  
Germany  
Telephone : +49 (0)89 745062-0  
Responsible Department : Telephone: +49 (0)89 745062-0  
Emergency telephone number : 1-352-323-3500

#### SECTION 2. HAZARDS IDENTIFICATION

##### Emergency Overview

**Regulatory status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.

Signal Word : not applicable  
Form : liquid  
Odour : mild  
Odour - Control parameters : no data available  
Hazard Summary : If used according to the instructions, no risks are expected for the user.

##### Potential Health Effects

Carcinogenicity:

NTP : No component of this product which is present at levels greater than or equal to 0.1 % is identified as a known or anticipated carcinogen by NTP.

IARC : No component of this product which is present at levels greater than or equal to 0.1 % is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA : No component of this product which is present at levels greater than or equal to 0.1 % is identified as a carcinogen or potential carcinogen by OSHA.

## Material Safety Data Sheet

### QUIXX Acrylic Scratch Remover for Acrylic Glass and Plexiglas®

Version 1.1

Revision Date 10/11/2007

Print Date 10/11/2007

CA Prop 65

: This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

---

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

#### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off all contaminated clothing immediately. Move out of dangerous area. Never give anything by mouth to an unconscious person.
- Skin contact : Wash off with soap and plenty of water.
- Eye contact : Remove contact lenses. Immediately flush eye(s) with plenty of water. If eye irritation persists, consult a specialist.
- Ingestion : If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting. Rinse mouth.

---

#### SECTION 5. FIRE-FIGHTING MEASURES

- Form : liquid
- Flash point : > 100 °C (212 °F)
- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Specific hazards during fire fighting : Build-up of dangerous/toxic fumes possible in cases of fire/high temperature
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Wear personal protective equipment.  
Material can create slippery conditions.
- Environmental precautions : Should not be released into the environment.  
Avoid subsoil penetration.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Use mechanical handling equipment.

## Material Safety Data Sheet

### QUIXX Acrylic Scratch Remover for Acrylic Glass and Plexiglas®

Version 1.1

Revision Date 10/11/2007

Print Date 10/11/2007

Additional advice : Forms slippery/greasy layers with water.

---

#### SECTION 7. HANDLING AND STORAGE

##### Handling

Handling : No special precautions required.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Dust explosion class : not applicable

##### Storage

Requirements for storage areas and containers : No special storage conditions required.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Other data : Stable under normal conditions.

---

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

##### Exposure Guidelines

Engineering measures : Provide adequate ventilation.

Hand protection : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work.  
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : General industrial hygiene practice.

---

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

## Material Safety Data Sheet

### QUIXX Acrylic Scratch Remover for Acrylic Glass and Plexiglas®

Version 1.1

Revision Date 10/11/2007

Print Date 10/11/2007

Colour	: white
Odour	: mild
Flash point	: > 100 °C (212 °F)
Thermal decomposition	: No decomposition if stored and applied as directed.
pH	: 7 at 10 g/120 °C (68 °F)
Solidification / Setting point	: 31 - 32 °C (88 - 90 °F)
Boiling point/range	: > 250 °C(> 482 °F)
Density	: 1.23 g/cm <sup>3</sup> at 20 °C (68 °F)
Water solubility	: completely miscible
Viscosity, dynamic	: 40,000 mPa.s at 20 °C (68 °F)
Volatile organic compounds (VOC) content	: 0 %

---

#### SECTION 10. STABILITY AND REACTIVITY

Hazardous decomposition products	: No decomposition products in case of appropriate storage / handling / transport.
Thermal decomposition	: No decomposition if stored and applied as directed.
Hazardous reactions	: Note: Stable under normal conditions.

---

#### SECTION 11. TOXICOLOGICAL INFORMATION

Skin irritation	: Prolonged skin contact may cause skin irritation.
Eye irritation	: May irritate eyes.
Carcinogenicity	: No data is available on the product itself.
Toxicity to reproduction	: No data is available on the product itself.
Teratogenicity	: No data is available on the product itself.

---

#### SECTION 12. ECOLOGICAL INFORMATION

Adsorbed organic bound	: not included
------------------------	----------------



## Material Safety Data Sheet

### QUIXX Acrylic Scratch Remover for Acrylic Glass and Plexiglas®

Version 1.1

Revision Date 10/11/2007

Print Date 10/11/2007

halogens (AOX)  
Volatile organic compounds : 0 %  
(VOC) content  
Additional ecological : The product should not be allowed to enter drains, water  
information : courses or the soil.

---

#### SECTION 13. DISPOSAL CONSIDERATIONS

Adequate disposal : In accordance with local and national regulations.

---

#### SECTION 14. TRANSPORT INFORMATION

##### DOT 49 CFR

Not dangerous goods

##### TDGR

Not dangerous goods

##### ICAO / IATA-DGR

Not dangerous goods

##### IMDG-Code

Not dangerous goods

---

#### SECTION 15. REGULATORY INFORMATION

**OSHA Hazards** : No OSHA Hazards

**TSCA Status** : On TSCA Inventory

**DSL Status** : All components of this product are on the Canadian DSL list.

**SARA 311/312 Hazards** : No SARA Hazards

##### PENN RTK

US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

Components	CAS-No.
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-	25322-68-3
aluminum oxide	68389-42-4

##### NJ RTK

US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

Material Safety Data Sheet  
**QUIXX Acrylic Scratch Remover for Acrylic Glass and Plexiglas®**

Version 1.1

Revision Date 10/11/2007

Print Date 10/11/2007

Components	CAS-No.
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-	25322-68-3
aluminum oxide	68389-42-4

**California Prop. 65** : This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

---

**SECTION 16. OTHER INFORMATION****Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Prepared by: TechniData BCS GmbH  
Birlenbacher Str. 19  
D-57078 Siegen  
Germany  
Telephone: +49-(0)271-88072-0

Revision Date: 06/29/2007

---

## Material Safety Data Sheet

### QUIXX Repair System FINISH No.2

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : **QUIXX Repair System FINISH No.2**  
MSDS Number : 888100004728  
Product Use Description : Fine Polishing Paste  
Company : E.V.I. Vertriebs GmbH  
Gautinger Str. 40a  
82061 Neuried  
Germany  
Telephone : +49 (0)89 745062-0  
Responsible Department : Telephone: +49 (0)89 745062-0  
Emergency telephone : 1-352-323-3500  
number

#### SECTION 2. HAZARDS IDENTIFICATION

##### Emergency Overview

**Regulatory status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.

Signal Word : not applicable  
Form : liquid  
Odour : odourless  
Odour - Control parameters : no data available  
Hazard Summary : If used according to the instructions, no risks are expected for the user.

##### Potential Health Effects

Carcinogenicity:

NTP : No component of this product which is present at levels greater than or equal to 0.1 % is identified as a known or anticipated carcinogen by NTP.

IARC : No component of this product which is present at levels greater than or equal to 0.1 % is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA : No component of this product which is present at levels greater than or equal to 0.1 % is identified as a carcinogen or potential carcinogen by OSHA.

## Material Safety Data Sheet

### QUIXX Repair System FINISH No.2

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

CA Prop 65 : This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

---

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

#### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off all contaminated clothing immediately. Never give anything by mouth to an unconscious person.

Skin contact : Wash off with soap and plenty of water.

Eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion : If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting. Rinse mouth.

---

#### SECTION 5. FIRE-FIGHTING MEASURES

Form : liquid

Flash point : Note: no data available

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards during fire fighting : Build-up of dangerous/toxic fumes possible in cases of fire/high temperature

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear personal protective equipment.  
Material can create slippery conditions.

Environmental precautions : Do not let product enter drains.  
Avoid subsoil penetration.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid



## Material Safety Data Sheet

### QUIXX Repair System FINISH No.2

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

binder, universal binder, sawdust).

Additional advice : Forms slippery/greasy layers with water.

---

#### SECTION 7. HANDLING AND STORAGE

##### Handling

Handling : No special precautions required.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Dust explosion class : not applicable

##### Storage

Requirements for storage areas and containers : No special storage conditions required.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Other data : No decomposition if stored and applied as directed.

---

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

##### Exposure Guidelines

Engineering measures : Provide adequate ventilation.

Eye protection : In case of splash hazard, wear protective goggles.

Hand protection : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work.  
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : General industrial hygiene practice.

## Material Safety Data Sheet

**QUIXX Repair System FINISH No.2**

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Form	: liquid
Colour	: white
Odour	: odourless
Flash point	: Note: no data available
Thermal decomposition	: No decomposition if stored and applied as directed.
pH	: 6 - 8
Melting point/range	: no data available
Boiling point/range	: > 65 °C(> 149 °F)
Density	: 1.11 g/cm <sup>3</sup> at 20 °C (68 °F)
Water solubility	: completely miscible
Viscosity, dynamic	: 35,000 mPa.s at 20 °C (68 °F) Method: Brookfield
Volatile organic compounds (VOC) content	: 0 %

**SECTION 10. STABILITY AND REACTIVITY**

Hazardous decomposition products	: No decomposition products in case of appropriate storage / handling / transport.
Thermal decomposition	: No decomposition if stored and applied as directed.
Hazardous reactions	: Note: No decomposition if stored normally.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Eye irritation	: May irritate eyes.
Carcinogenicity	: No data is available on the product itself.
Toxicity to reproduction	: No data is available on the product itself.
Teratogenicity	: No data is available on the product itself.

Material Safety Data Sheet

**QUIXX Repair System FINISH No.2**

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

**SECTION 12. ECOLOGICAL INFORMATION**

Adsorbed organic bound halogens (AOX) : not included  
Volatile organic compounds (VOC) content : 0 %  
Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

**SECTION 13. DISPOSAL CONSIDERATIONS**

Adequate disposal : In accordance with local and national regulations.

**SECTION 14. TRANSPORT INFORMATION**

**DOT 49 CFR**

Not dangerous goods

**TDGR**

Not dangerous goods

**ICAO / IATA-DGR**

Not dangerous goods

**IMDG-Code**

Not dangerous goods

**SECTION 15. REGULATORY INFORMATION**

**OSHA Hazards** : No OSHA Hazards

**TSCA Status** : On TSCA Inventory

**DSL Status** : All components of this product are on the Canadian DSL list.

**SARA 311/312 Hazards** : No SARA Hazards

**PENN RTK**

US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

<u>Components</u>	<u>CAS-No.</u>
-------------------	----------------

## Material Safety Data Sheet

**QUIXX Repair System FINISH No.2**

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

Water	7732-18-5
Aluminium silicate	12141-46-7
polydimethylsiloxane-emulsion	
Ester of montanic acids	68476-04-0

**NJ RTK**

US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

<u>Components</u>	<u>CAS-No.</u>
Water	7732-18-5
Aluminium silicate	12141-46-7
polydimethylsiloxane-emulsion	
Ester of montanic acids	68476-04-0

**California Prop. 65**

: This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

**SECTION 16. OTHER INFORMATION****Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Prepared by: TechniData BCS GmbH  
Birlenbacher Str. 19  
D-57078 Siegen  
Germany  
Telephone: +49-(0)271-88072-0

Revision Date: 12/14/2006

## Material Safety Data Sheet

### QUIXX Repair System REPAIR POLISH No.1

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : **QUIXX Repair System REPAIR POLISH No.1**  
MSDS Number : 888100004727  
Product Use Description : Polishing Paste  
Company : E.V.I. Vertriebs GmbH  
Gautinger Str. 40a  
82061 Neuried  
Germany  
Telephone : +49 (0)89 745062-0  
Responsible Department : Telephone: +49 (0)89 745062-0  
Emergency telephone : 1-352-323-3500  
number

#### SECTION 2. HAZARDS IDENTIFICATION

##### Emergency Overview

**Regulatory status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.

Signal Word : not applicable  
Form : liquid  
Odour : mild  
Odour - Control parameters : no data available  
Hazard Summary : If used according to the instructions, no risks are expected for the user.

##### Potential Health Effects

Carcinogenicity:

NTP : No component of this product which is present at levels greater than or equal to 0.1 % is identified as a known or anticipated carcinogen by NTP.

IARC : No component of this product which is present at levels greater than or equal to 0.1 % is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA : No component of this product which is present at levels greater than or equal to 0.1 % is identified as a carcinogen or potential carcinogen by OSHA.

## Material Safety Data Sheet

### QUIXX Repair System REPAIR POLISH No. 1

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

CA Prop 65

: This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

---

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

#### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off all contaminated clothing immediately. Move out of dangerous area. Never give anything by mouth to an unconscious person.
- Skin contact : Wash off with soap and plenty of water.
- Eye contact : Remove contact lenses. Immediately flush eye(s) with plenty of water. If eye irritation persists, consult a specialist.
- Ingestion : If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting. Rinse mouth.

---

#### SECTION 5. FIRE-FIGHTING MEASURES

- Form : liquid
- Flash point : Note: no data available
- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Specific hazards during fire fighting : Build-up of dangerous/toxic fumes possible in cases of fire/high temperature
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Wear personal protective equipment.  
Material can create slippery conditions.
- Environmental precautions : Should not be released into the environment.  
Avoid subsoil penetration.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Use mechanical handling equipment.

Material Safety Data Sheet  
**QUIXX Repair System REPAIR POLISH No. 1**

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

Additional advice : Forms slippery/greasy layers with water.

---

**SECTION 7. HANDLING AND STORAGE**

**Handling**

Handling : No special precautions required.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Dust explosion class : not applicable

**Storage**

Requirements for storage areas and containers : No special storage conditions required.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Other data : Stable under normal conditions.

---

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Exposure Guidelines**

Engineering measures : Provide adequate ventilation.

Hand protection : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work.  
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : General industrial hygiene practice.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Form : liquid

## Material Safety Data Sheet

### QUIXX Repair System REPAIR POLISH No. 1

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

Colour	: white
Odour	: mild
Flash point	: > 100 °C
Thermal decomposition	: No decomposition if stored and applied as directed.
pH	: 7 at 10 g/120 °C (68 °F)
Solidification / Setting point	: 31 - 32 °C (88 - 90 °F)
Boiling point/range	: > 250 °C(> 482 °F)
Density	: 1.23 g/cm <sup>3</sup> at 20 °C (68 °F)
Water solubility	: completely miscible
Viscosity, dynamic	: 40,000 mPa.s at 20 °C (68 °F)
Volatile organic compounds (VOC) content	: 0 %

#### SECTION 10. STABILITY AND REACTIVITY

Hazardous decomposition products	: No decomposition products in case of appropriate storage / handling / transport.
Thermal decomposition	: No decomposition if stored and applied as directed.
Hazardous reactions	: Note: Stable under normal conditions.

#### SECTION 11. TOXICOLOGICAL INFORMATION

Skin irritation	: Prolonged skin contact may cause skin irritation.
Eye irritation	: May irritate eyes.
Carcinogenicity	: No data is available on the product itself.
Toxicity to reproduction	: No data is available on the product itself.
Teratogenicity	: No data is available on the product itself.

#### SECTION 12. ECOLOGICAL INFORMATION

Adsorbed organic bound	: not included
------------------------	----------------



## Material Safety Data Sheet

### QUIXX Repair System REPAIR POLISH No. 1

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

halogens (AOX)  
 Volatile organic compounds : 0 %  
 (VOC) content  
 Additional ecological : The product should not be allowed to enter drains, water  
 information : courses or the soil.

#### SECTION 13. DISPOSAL CONSIDERATIONS

Adequate disposal : In accordance with local and national regulations.

#### SECTION 14. TRANSPORT INFORMATION

**DOT 49 CFR**

Not dangerous goods

**TDGR**

Not dangerous goods

**ICAO / IATA-DGR**

Not dangerous goods

**IMDG-Code**

Not dangerous goods

#### SECTION 15. REGULATORY INFORMATION

**OSHA Hazards** : No OSHA Hazards

**TSCA Status** : On TSCA Inventory

**DSL Status** : All components of this product are on the Canadian DSL list.

**SARA 311/312 Hazards** : No SARA Hazards

**PENN RTK** US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

Components	CAS-No.
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-	25322-68-3
aluminum oxide	68389-42-4

**NJ RTK** US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

## Material Safety Data Sheet

### QUIXX Repair System REPAIR POLISH No. 1

Version 1.1

Revision Date 12/14/2006

Print Date 12/14/2006

Components	CAS-No.
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-	25322-68-3
aluminum oxide	68389-42-4

**California Prop. 65** : This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

---

#### SECTION 16. OTHER INFORMATION

##### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Prepared by: TechniData BCS GmbH  
Birlenbacher Str. 19  
D-57078 Siegen  
Germany  
Telephone: +49-(0)271-88072-0

Revision Date: 12/14/2006

---